

TELEFUNKEN

OM 600 750 1100 1500 KHz

MONTECENI INDR. MATH. ROMA II CADL. STAZ. II 3^a STAZ. II 3^a
HELSINKI BRUX. AMARS. TRIEST. ST. II 2^a STAZ. II 1^a STAZ. II 1^a
BEROM. CALT. ST. II 1^a MUNCH. MI. I ST. II 2^a STAZ. ITAL. 2^a

MF 86 88 90 92 94 96 98 100 102 MHz

TV 1 2 3 4 5 6 7 8 9 10 11 12 TV

OM TV Dwt 1 MF 2 TV AB

mignon

TELEFUNKEN

mignon







MOD. R 521

mignon

ATTENZIONE

PRIMA DI TOGLIERE LO SCHIENALE STACCARE
LA SPINA DALLA PRESA DI CORRENTE



IMPORTANTE

PER GARANTIRE L'EFFICIENZA
CASO DI RICAMBI APPLICARE SOLO TUBI
ORIGINALI TELEFUNKEN

ASSICURARSI CHE LA VITE
DEL CAMBIO TENSIONI SIA SULLA
POSIZIONE CORRISPONDENTE
AL VOLTAGGIO DELLA RETE





MOD. R 521

mignon

ATTENZIONE

PRIMA DI TOGLIERE LO SCHEMALE STACCARE
LA SPINA DALLA PRESA DI CORRENTE

IMPORTA

PER GARANTIRE L'EFFICIENZA
USARE SOLO I RICAMBI ORIGINALI TELEFUNKEN

Y
T
300 n
75 n
MF

ASSICURARSI CHE LA VITE
DEL CAMBIO TENSIONI SIA SULLA
POSIZIONE CORRISPONDENTE
AL VOLTAGGIO DELLA RETE























